

Cancer Hospital & Research Centre

(Managed By K. G. Kothari Memorial Trust)

## BMCHRC/2024/270

The Office Incharge Bio Medica; Waste (BMW) Rajasthan State Pollution Control Board 4. Institutional Area Jhalana Doongri, Jaipur

Dated: - 09.05.2024



Subject: - Submission of Annual Report in Form IV for the year 2023 under Rule 13 of Bjo Medical Waste Management Rules, 2016

Dear Sir.

Pursuant to the captioned subject we are heraby submitting Annual report in Form IV under Rule 13 of Bio Medical Waste Management Rules, 2016 of Bhagwan Mahaveer Camor Hospital & Research Centre, JLN Marg, Jaipur for the period 1st January, 2023 to 31st December, 2023 alongwith the enclosures.

Please acknowledge the receipt of the same.

Thanking You.

For Bhagwan Mahaveer Cancer Hospital & Research Centre

MAJ GEN (Dr) S C PAREEK

Maj Gen SC PareeRARetd & HM, MBA (HCA) M. Phil, ndc

EXECUTIVE DIFFECTOR

Executive Director anver Cancer Hospital & Research Centre Jawahar Lai Nehru Marg, JAIPUR-302 017 (Raj.)

CC: The Regional Officer-Regional Office-Jaipur (South)- Rajasthan State Pollution Control Board, 6/253, Malviya Nagar, Behind Renault Showroom Near Jawahar Circle, Jaipur




## Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SL	Particulars		
No.	- a set		
1.	Particulars of the Occupier	A C C Parall (Bald)	
	(i) Name of the authorized person (occupier or	Major General S.C Pareek(Reid)  Executive Director	
	operator of facility)		
	(ii) Name of HCF or CBMWTF	BHAGWAN MAHAVEER CANCER HOSPITAL & RESEARCH CENTRE	
	(iii) Address for Correspondence	JLN MARG, JAIPUR	
	(iv) Address of Facility	JAWAHAR LAL NEHRU, JAIPUR	
	(v)Tel. No, Fax. No	0141-2717777	
	(vi) E-mail ID	bmchrc@hotmail.com	
	(vii) URL of Website	www.bmchrc.org	
	(viii) GPS coordinates of HCF or CBMWTF	V V	
	(ix) Ownership of HCF or GBMWTF	Trust Hospital	
	(x). Status of Authorisation under the Bio-Medical	1) Authorization letter No:-F (BMW)/Jaipur	
	Waste (Management and Handling) Rules	(Jaipur)/35(1)/2009-2010/5239-5241 for 200 beds.  Valid up to: 31-10-2026  2) Authorization Letter No. BMW/2020- 2021/BMW/BMW/41.For Additional 100 beds.  Valid up to: 27/02/2020 to 31/01/2025.	
	(xi). Status of Consents under Water Act and Air Act	1)For 200 beds; valid up to 31/10/2026 2) For Additional 100 beds: Valid up to: 27/02/2020 to 31/01/2025.	
2	. Type of Health Care Facility		
	(i) Bedded Hospital	No. of Beds: 300	
	(ii) Non-bedded hospital  (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		
GE	nond sur labourine Healthcare Months	by The state of th	
S, DA	EXECUDBANIA PROSparch Centre	300 Beds	
V Settler	other with the streament and disposal capacity of CBMWTF:	235 Kg / day	

		235Kg / day				
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	K g/day				
1.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yeliow Category:10/29.23*12=12110.77				
	-	Yellow Cytotoxic Catego.y:444.28*12=5331.4'  Red Category: 1219.37*12= 14632.55  White 1139*12 =1366.95  Blue Category:1354.16*12= 16250.03  General Solid waste:				
5.	Details of the Storage, treatment, transportation, processi	ng and Disposal Facility	У			
	(i) Details of the facility	Size :4*4*4*6=96		e facilit	(v)	
	on-site storage	Capacity :384kg				
	NULL THOUGH A SOUTH PROBABILITY	Provision of on-site storage: Normal Storage				
	(ii) Details of the treatment or disposal facilities	Type of treatment	No of units	Capa	Quantity treated or	
	anapasan nasimitas			Kg/ day	disposed in kg per	
					annum	
	ľ	Incinerators	Auto clay	e capaci	ty/size =16*2	
	5 4	Plasma Pyrolysis				
		Autaclaves #				
		Microwave	18 90	0.0		
		Hydroclave	4			
		Shredder	-			
		E-Particulation	4			
		Needle tip cutter or destroyer	1			
		Sharps	1.			
		encapsulation or				
		concrete pit				
	=	Deep burial pits:	-		3	
		Chemical Chemical	-			
	भी कि	disinfection:	3.			
		Any other treatment equipment:		Jane 1	7	
	(iii) Quantity of recyclable wastes	Red Category (like plastic, glass etc.) 1910.49kg per Annum				
	Sold to authorize recyclers after treatment in kg per	1010.49kg [rt. Al.	uum			
	annum.		<del></del>			
	(iv) No of vehicles used for collection and	G.ie	" E			
	waste S.C. PAREER clomedical	11	7V.,			
-	waste C C T Williamstion ash and	Quantity	V/hei	é		
GF.	transportation of ciomedical waste of PAREER ciomedical waste of PAREER ciomedical and the ciomedical of the ciomedical	Generated	dispo			
ian Ma	Extreatment of Wastes in (Nog) per annum anaveer Cantu Marg. JAHPUR-332 No. 0141-270/021 Ir Lal Nehru Marg. 2702899 Fax No. 0141-270/021	,				

MAJ NER



		Incineration Bio medical waste disposed by
		ASH outsource(Instromedix India Pvt
		ETP Sludge Ltd)
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	: Instromedix India Pvt Ltd Gram Khori Roper, Tehsil Sanganer, NH -11 Jaipur
	(vii) List of member HCF not handed Over bio-medical waste.	5
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes, Attached
7	Details trainings conducted on BMW	No. of Training Consucted (Jan-Dec, 2023)
	(i) Number of trainings conducted on BMW Management.	500
	(ii) number of personnel trained	1379
	(iii) number of personnel trained at the time of induction	183
	(iv) number of personnel not undergone any training so far	0
	(v) whether standard manual for Training is available?	HIC Training Manual is available and training calenda is prepare every month.
1	(vi) any other information)	NO
8	s at socident occurred	Jan-Dec 2023 data
	(i) Number of Accidents occurred	12 ( needlestick and sharp injuries)
	(ii) Number of the persons affected	00
	(iii) Remedial Action taken (Please attach details if any)	PFA in details for needle stick and sharp injury remedial action taken
	(iv) Any Fatality occurred, details.	needle stick incidences, no fatality happened
	9. Are you meeting the standards of all Pollution from the incinerator? How many times in last year could not met the standards?  Output  Description:	Y.4 Air podution report Attached
	Details of Continuous online emission monitoring systems installed	
4	10 Liquid waste generated and treatment . methods in place. How many times you have not met the standards in a	STP CAPACITY 125 KLD
SEN (	the disinfection method of	Yes
FYC	Standards? How many times you have	Nill

12	Any other relevant information	For Sharp Waste, Chemical Disinfection Bins & for Destruction of hypodermic Needles, our unit has Needle & Syringe Destroyer.
		oji nge zamajan

Certified that the above report is for the period from 1st January 2023 to 31st December 2023

Name and Signature of the Head of the Institution

Date: 09.05.2024 Place Saiysm

Maj.Gen. S.C Pareck (Retd)

MAJ GEN (DT) C PAREEK
MAJ GEN (DT) S C PAREEK
MABBS, DA, PGDH & HM, MBA (FICA) M. Phil, ndc

Bhagwan Mahayeer Cancer Hospital & Research Centre
Jawahat Lal Nehru Marg, JAIPUR-302 017 (Raj.)

Phone-0141-2700107, 2702120, 2702859 Fax No. 0141-2707021